



Kit 1559

HONDA Accord, 2-dr Coupé, *08–


*North America



754 Rapid System
480R Rapid Traverse (North America)



480 Traverse (North America)



Max. 40 kg
Max. 88 lbs

x1

754 Rapid System

480R Rapid Traverse (North America)

x4

x4

754 Rapid System
480R Rapid Traverse (North America)

x1

480 Traverse (North America)

x4

x4

x2

x2

23 mm

x2

x2

23 mm

x4

x4

x1

17 mm

x2

23 mm

x2

x2

x4

(North America)

x2

23 mm

x2

x2

320

x2

457

x2

06

x4

x1

1





2






754 Rapid System
480R Rapid Traverse
(North America)



x4





x4





x4




480 Traverse
(North America)




x4

3**754** Rapid System


	X
HONDA Accord, 2-dr Coupé, *08-	41,5




	Y
HONDA Accord, 2-dr Coupé, *08-	39

3**480R** Rapid Traverse**480** Traverse**(North America)**

	X inch	X mm
HONDA Accord, 2-dr Coupé, *08-	42"	1066 mm





	Y inch	Y mm
HONDA Accord, 2-dr Coupé, *08-	41"	1041 mm

4


5

HONDA Accord, 2-dr Coupé, *08-


SRA








A




B




C



6



	X mm	Y mm	Z mm	X inch	Y inch	Z inch
HONDA Accord, 2-dr Coupé, *08-	255 mm	711 mm	305 mm	10"	28"	12"



7



GB/US Tighten alternately
D Die Schrauben abwechselnd anziehen
F Serrer alternativement chaque côté
NL Afwisselend aan de linker- en de rechterkant aandraaien
I Alternare il serraggio delle viti
E Apertar alternativamente
PT Aperte alternadamente
S Dra åt växelvis
FIN Kierrä vuorotellen
EST Pinguldage vaheldumisi
LAT Pieļieciet pamišus
LIT Užsukinėkite pakaitomis
PL Śruby dokręcaj naprzemiennie
RU Затягивайте попеременно





CZ Pokręťta bagażnika dokręcaj naprzemiennie.
SK Dofahajte striedavo
SLO Privijajte izmenično.
HR Naizmjenočno zategnite
HU Egymástól függetlenül szorítandó
GR Σφιγίγτες εναλλάξ
TR Dönüşümlü sıkın

中文 交替拧紧



한국어 번갈아 가며 조이십시오.

日本語 交互に締め付けてください。

ไทย ชันในแบบสลับ






≈ 3 Nm



8



x1
17 mm





THULE
SWEDEN
**ONE
KEY
SYSTEM**



		(x4)
		(x6)
		(x8)
NA		(x10)
EUR		(x12)
ASIA		



WW ▶ Thule Sweden AB, Box 69, 330 33 Hillerstorp, SWEDEN
NA ▶ Thule Inc., 42 Silvermine Road, Seymour, Connecticut 06483, USA

info@thule.com
customer.service@thule.com

www.thule.com